

Chaos License Quick Start Guide

Activate the License

Borrow Licenses for Offline Use

You can also 'borrow' a license to use offline on a machine without internet access. See the [Borrowing Licenses for Offline Use](#) page for more information.

Advanced Settings

You can **Start**, **Stop**, and **Manage Chaos License Server** from your system. To access these functions:

- For **Windows**, you can use the Start Menu shortcuts, located in the *Start Menu > All Apps > Chaos*
- For **Linux**, go to Terminal and navigate to the directory of your **vrllservice.service** file. By default, it is located at `/usr/Chaos/VRLService/bin`. To start the license server, use **sudo systemctl start vrllservice.service**. To stop or check the status of the service, replace the **start** command with **stop** or **status**.
- For **macOS**, use **sudo launchctl load /Library/LaunchAgents/com.chaos_group.vrol.plist** to start the service, and **sudo launchctl unload /Library/LaunchAgents/com.chaos_group.vrol.plist** to stop the service. These commands are entered in Terminal and will prompt you to enter your macOS user password.

See the [License Setup](#) page for information on changing your license settings, running a silent installation, and other advanced uses.

Download the Chaos License Server

If you need to download the license installation separately, you can do so from the [Downloads section of the Chaos website](#). Log in to access all available assets.

See the [Installing the License Server](#) page for the installation process.

Troubleshooting

If you are experiencing any difficulty installing or running the Chaos License Server, please refer to the [Troubleshooting](#) page for possible solutions.